



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b>  <b>A61K 35/78</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 99/51249</b>  <b>(43) International Publication Date:</b> 14 October 1999 (14.10.99)
<b>(21) International Application Number:</b> PCT/AU98/00236  <b>(22) International Filing Date:</b> 7 April 1998 (07.04.98)  <b>(71) Applicants (for all designated States except US):</b> SCHULZE, Howard, Kenneth [AU/AU]; 1 Rockford Place, Marino, S.A. 5049 (AU). V THAI HERBS COMPANY LIMITED [TH/TH]; 19/88 Juldiss Mansion, 7th Soi Petchaburi Road, Tanon Phayathai, Bangkok 10400 (TH).  <b>(72) Inventor; and</b> <b>(75) Inventor/Applicant (for US only):</b> KONGPITAK, Somchok [TH/TH]; 446/169 Mu 4, Phaholyothin 52, Klong Thanon Bangkokhen, Bangkok 10220 (TH).  <b>(74) Agent:</b> COLLISON & CO.; 117 King William Street, Adelaide, S.A. 5000 (AU).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i>
<b>(54) Title:</b> HERBAL COMPOSITION FOR THE PROPHYLAXIS AND TREATMENT OF AIDS  <b>(57) Abstract</b>  <p>A therapeutic composition for the prophylaxis and treatment of AIDS comprising a mixture of nontoxic herbs of well recognised medicinal properties. The herbal composition consists of <i>Stephania venosa</i> Spreng (40–60 mg), <i>Stephania suberosa</i> Forman (40–60 mg), <i>Stephania glabra</i> Roxb. Miers. (40–60 mg), <i>Hedychium coronarium</i> Roem (40–60 mg), <i>Zingiber Officinalis</i> Roscoe (30–50 mg) and <i>Curcuma Amada</i> (30–50 mg). The process of making the composition requires the herbs to be washed, cut into small pieces, dried and separated from all extraneous material. Each herb is then weighed according to predetermined proportions and pulverised together into a powder of about 40–100 mesh, and dried again. The herbal composition can then be filled into hard gelatin capsules. It has been found that the herbal composition improves the physical condition of AIDS patients and can alleviate or cease the symptoms of most opportunistic infections.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Larvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## Herbal Composition for the Prophylaxis and Treatment of AIDS

The present invention is in the fields of medicine and pharmacology. In particular the present invention relates to herbal composition for the prophylaxis and treatment of human immunodeficiency virus (HIV) disease and Acquired Immune Deficiency Syndrome (AIDS) and AIDS related complex.

### TECHNICAL FIELD

Acquired Immune Deficiency Syndrome (AIDS) is a pandemic immunosuppressive disease which results in life threatening opportunistic infection and malignancies. The disease kills the helper cells of the immune system which play a crucial role in cell mediated immunity. The progressive loss of the helper cells in the blood leads to a stage where the body is rendered incapable of resisting many bacterial, viral and parasitical invasions resulting in the AIDS patient dying from opportunistic infections. A retrovirus, designated human immunodeficiency virus (HIV-1), has been isolated and identified as the etiologic agent of this disease.

It was estimated that there were about 23 millions HIV infected patients all over the world in 1997. Of these patients, 90% live in developing countries with Asia having the highest numbers of newly infected patients.

Several agents have been reported to inhibit the growth of the human immunodeficiency virus. These include nucleoside analog reverse Transcriptase inhibitors (NRTIs) e.g. zidovudine, lamivudine, d4T (trade names) and protease inhibitors e.g. indinavir, ritonavir, nelfinavir (trade names). A combination of drugs may be used, for example 3 drug regimens that usually include 2 nucleoside analog reverse transcriptase inhibitors and a protease inhibitor, but they are complex and costly. Furthermore these compounds appear to be too toxic for prolonged use or only have a limited capability of minimising or eliminating HIV infections from the human host.

Accordingly the currently known anti-HIV drugs now available are costly and potentially toxic and inaccessible to the majority of HIV infected patients in

2

developing countries. Therefore all patients need less expensive, less toxic and effective anti-HIV drugs.

Herbal preparations/ treatments and medicines have been used for the treatment of various diseases in Thailand and South East Asia for several  
5 hundred years. Recent interest in natural treatment for health problems has resulted in herbal drugs being researched as to their chemical constituents, toxicity and activities.

The object of the present invention is to provide a herbal composition for the prophylaxis and treatment of AIDS and/or a method for the prophylaxis and  
10 treatment of AIDS patients using that herbal composition.

By the terms HIV and AIDS related virus is meant the commonly designated HIV series (human immunodeficiency virus) formerly called HTLV, LAV and ARV, and species thereof.

#### DISCLOSURE OF THE INVENTION

15 In one form of this invention there is proposed a method for the prophylaxis and treatment of AIDS and AIDS related complex comprising the step of administering to an animal or person a therapeutically effective amount of a preparation including an extract of one or more of the following plants;  
Stephania venosa Spreng, Stephania suberosa Forman, Stephania glabra  
20 Roxb. Miers., Hedychium coronarium Roem, Zingiber officinalis Roscoe and Curcuma Amada.

In a further form of the invention there is proposed a composition for the prophylaxis and treatment of AIDS and AIDS related complex including an extract of one or more of the following plants; Stephania venosa Spreng,  
25 Stephania suberosa Forman, Stephania glabra Roxb. Miers., Hedychium coronarium Roem, Zingiber officinalis Roscoe and Curcuma Amada.

In a further form of the invention there is proposed a method of inhibiting in vitro HIV infection in human T lymphocyte cells and mononuclear phagocytic lineage cells infected with HIV with a preparation consisting essentially of an  
30 extract from one or more of at least Stephania venosa Spreng, Stephania

3

suberosa Forman, *Stephania glabra* Roxb. Miers., *Hedychium coronarium* Roem, *Zingiber officinalis* Roscoe and *Curcuma Amada*.

In a yet further form of the invention there is proposed a composition for the prophylaxis and treatment of AIDS and AIDS related complex comprising a therapeutically acceptable composition of herbs comprising 18.0 to 19.0% of the total weight of the following formulated by weight of each of *Stephania venosa* Spreng, *Hedychium coronarium* Roem, 16.0 to 17.0% by weight of each of *Stephania suberosa* Forman, *Stephania glabra* Roxb. Miers and 14.5 to 15.5% by weight of each of *Zingiber officinalis* Roscoe, *Curcuma Amada*.

In a yet still further form of the invention there is proposed a composition for the prophylaxis and treatment of AIDS and AIDS related complex comprising each of the following of selected dried plant material in the proportions selected hereafter:

15	Name of herb	Classification	Weight (mg) minimum
	<i>Stephania venosa</i> Spreng	(MENISPERMACEAE)	40
	<i>Stephania suberosa</i> Forman	(MENISPERMACEAE)	40
20	<i>Stephania glabra</i> Roxb. Miers.	(MENISPERMACEAE)	40
	<i>Hedychium coronarium</i> Roem	(ZINGIBERACEAE)	40
	<i>Zingiber officinalis</i> Roscoe	(ZINGIBERACEAE)	30
	<i>Curcuma Amada</i>	(ZINGIBERACEAE)	30

It is to be understood though that the particular weight of each plant may depending on the potency of each plant.

In a further still form of the invention there is proposed a composition for the prophylaxis and treatment of AIDS and AIDS related complex comprising the following, as dried plant materials :

30	Name of herb	Classification	Weight (mg)
	<i>Stephania venosa</i> Spreng	(MENISPERMACEAE)	55
	<i>Stephania suberosa</i> Forman	(MENISPERMACEAE)	50
	<i>Stephania glabra</i> Roxb. Miers.	(MENISPERMACEAE)	50

4

Hedychium coronarium Roem	(ZINGIBERACEAE)	55
Zingiber officinalis Roscoe	(ZINGIBERACEAE)	45
Curcuma Amada	(ZINGIBERACEAE)	45

5 In preference the composition is in the form of a capsule, said capsule being preferentially a gelatin capsule.

In preference the composition is in the form of a liquid mixed with a syrup.

In a still further form of the invention there is proposed a process for preparing a composition for the prophylaxis and treatment of AIDS and AIDS related complex including:

10 (a) pulverising into powder the following amounts of dried plant material consisting essentially of:

	Name of herb	Classification	Weight(mg) range
15	Stephania venosa Spreng	(MENISPERMACEAE)	40-60
	Stephania suberosa Forman	(MENISPERMACEAE)	40-60
	Stephania glabra Roxb. Miers.	(MENISPERMACEAE)	40-60
	Hedychium coronarium Roem	(ZINGIBERACEAE)	40-60
	Zingiber officinalis Roscoe	(ZINGIBERACEAE)	30-50
20	Curcuma Amada	(ZINGIBERACEAE)	30-50

(b) preparing a pharmaceutical formulation comprising the powder of step (a)

25 In preference the total weight of the composition of Stephania venosa Spreng, Stephania suberosa Forman, Stephania glabra Roxb. Miers., Hedychium coronarium Roem, Zingiber officinalis Roscoe and Curcuma Amada is no more than 300 mgs.

In preference the method includes giving the composition in the quantities stated twice a day before meals to a patient (human adult) who weighs 60 kg or less.

5

In preference the method includes giving the composition three times a day before meals to a patient (human adult) who weighs 60-100 kg.

### BEST MODE OF THE INVENTION

5 The following detailed description and procedures are provided to illustrate the principles of the invention. They are not, however, intended to limit this invention.

After a significant period of trial and modification a mixture of the following herbs was found to be successful for treating AIDS patients.

	Name of Herb	Classification
10	Stephania venosa Spreng	(MENISPERMACEAE)
	Stephania suberosa Forman	(MENISPERMACEAE)
	Stephania glabra Roxb. Miers.	(MENISPERMACEAE)
	Hedychium coronarium Roem	(ZINGIBERACEAE)
15	Zingiber officinalis Roscoe	(ZINGIBERACEAE)
	Curcuma Amada	(ZINGIBERACEAE)

Each herb was collected fresh, was washed with water, cut into small pieces, dried and separated from all extraneous material. Each herb was weighed according to predetermined proportions and pulverised together into a  
20 powder of about 40-100 mesh, and dried again. However, it is to be understood that the extracts from each subject herb can be used and prepared by known organic extraction procedures.

The resulting herbal powder composition is then filled into hard gelatin capsules. The combination of the herbal composition with an appropriate  
25 solid carrier, such as lactose, starch, and lubricants (e.g. magnesium stearate, calcium stearate) or the like can be used. Each capsule contained approximately 300 mg of the herbal powder composition.

The dosage for oral use chosen for trials is one capsule, twice a day before meals for a patient who weighs 60 kg or lower, and for a patient who weighs  
30 60 to 100 kg, one capsule is administered three times a day before meals.

6

From experiments conducted so far, a therapeutically effective quantify of the referred to composition for an average human adult is at least as follows

	Name of herb	Classification	Min wt (mg)
5	Stephania venosa Spreng	(MENISPERMACEAE)	40
	Stephania suberosa Forman	(MENISPERMACEAE)	40
	Stephania glabra Roxb. Miers.	(MENISPERMACEAE)	40
	Hedychium coronarium Roem	(ZINGIBERACEAE)	40
	Zingiber officinalis Roscoe	(ZINGIBERACEAE)	30
10	Curcuma Amada	(ZINGIBERACEAE)	30

It has also been found that the above minimum weights can be increased by some 20 mg for each herb.

In a first example the composition comprises the following

	Name of herb	Classification	Weight (mg)
15	Stephania venosa Spreng	(MENISPERMACEAE)	55
	Stephania suberosa Forman	(MENISPERMACEAE)	50
	Stephania glabra Roxb. Miers.	(MENISPERMACEAE)	50
	Hedychium coronarium Roem	(ZINGIBERACEAE)	55
20	Zingiber officinalis Roscoe	(ZINGIBERACEAE)	45
	Curcuma Amada	(ZINGIBERACEAE)	45
			Total 300

Over one hundred patients with confirmed cases of full blown AIDS or HIV infected were treated with the composition of this invention in AIDS treatment hospitals. Both before treatment and periodically after treatment all patients were tested for the following :

- hemoglobin (Hb)
- white blood cells (WBC)
- platelet (Plt)
- 30 polymorphonuclear (PMN)
- basophol (Bas)
- lymphocyte (Lymph)
- monocyte (Mono)



CD4, CD8, CD4/CD8 ratio<sup>7</sup>

as well as other physical conditions. It was found that most of the patients showed improved physical conditions and the symptoms of most opportunistic infections either reduced or significantly disappeared. Thus, approximately  
5 equal quantities of the herbs in the composition were found to give a therapeutic advantage.

## CLAIMS

1. A method for the prophylaxis and treatment of AIDS and AIDS related complex comprising the step of administering to an animal or a person a therapeutically effective amount of an extract of one or more of the following plants; *Stephania venosa* Spreng, *Stephania suberosa* Forman, *Stephania glabra* Roxb. Miers., *Hedychium coronarium* Roem, *Zingiber officinalis* Roscoe and *Curcuma Amada*.
2. A method of inhibiting in vitro HIV infection in human T lymphocyte cells and mononuclear phagocytic lineage cells infected with HIV with a preparation consisting essentially of an extract from one or more of the following plants; *Stephania venosa* Spreng, *Stephania suberosa* Forman, *Stephania glabra* Roxb. Miers., *Hedychium coronarium* Roem, *Zingiber officinalis* Roscoe and *Curcuma Amada*.
3. A composition for the prophylaxis and treatment of AIDS and AIDS related complex including an extract of one or more of the following plants; *Stephania venosa* Spreng, *Stephania suberosa* Forman, *Stephania glabra* Roxb. Miers., *Hedychium coronarium* Roem, *Zingiber officinalis* Roscoe and *Curcuma Amada*.
4. A composition for the prophylaxis and treatment of AIDS and AIDS related complex comprising a therapeutically acceptable composition of herbs comprising 18.0 to 19.0% of the total weight of the following formulated by weight of each of *Stephania venosa* Spreng, *Hedychium coronarium* Roem, 16.0 to 17.0% by weight of each of *Stephania suberosa* Forman, *Stephania glabra* Roxb. Miers and 14.5 to 15.5% by weight of each of *Zingiber officinalis* Roscoe, *Curcuma Amada*.
5. A composition for the prophylaxis and treatment of AIDS and AIDS related complex comprising each of the following of selected dried plant material in the proportions selected hereafter:

30	Name of herb	Classification	Weight (mg) minimum
----	--------------	----------------	------------------------

9

	Stephania venosa Spreng	(MENISPERMACEAE)	40
	Stephania suberosa Forman	(MENISPERMACEAE)	40
	Stephania glabra Roxb. Miers.	(MENISPERMACEAE)	40
	Hedychium coronarium Roem	(ZINGIBERACEAE)	40
5	Zingiber officinalis Roscoe	(ZINGIBERACEAE)	30
	Curcuma Amada	(ZINGIBERACEAE)	30

6. A composition for the prophylaxis and treatment of AIDS and AIDS related complex comprising the following, as dried plant materials :

	Name of herb	Classification	Weight (mg)
10	Stephania venosa Spreng	(MENISPERMACEAE)	55
	Stephania suberosa Forman	(MENISPERMACEAE)	50
	Stephania glabra Roxb. Miers.	(MENISPERMACEAE)	50
	Hedychium coronarium Roem	(ZINGIBERACEAE)	55
15	Zingiber officinalis Roscoe	(ZINGIBERACEAE)	45
	Curcuma Amada	(ZINGIBERACEAE)	45

7. A composition as claimed in any one of claims 3 to 6 being substantially in the form of a capsule.

8. A composition as in claim 7 wherein said capsule is a gelatin capsule.

20 9. A composition as claimed in any one of claims 3 to 6 wherein said composition is in the form of a liquid mixed with a syrup.

10. A composition as in any one of claims 3 to 9 wherein the total combined weight of the extracts of Stephania venosa Spreng, Stephania suberosa Forman, Stephania glabra Roxb. Miers., Hedychium coronarium Roem,  
25 Zingiber officinalis Roscoe and Curcuma Amada is no more than 300 mgs.

11. A method of prophylaxis and treatment of AIDS and AIDS related complex including administering a composition as claimed in any one of claims 3 to 10 twice a day before meals to a patient (human adult) who weighs 60 kg or less.

10

12. A method of prophylaxis and treatment of AIDS and AIDS related complex including administering a composition as claimed in any one of claims 3 to 10 three times a day before meals to a patient (human adult) who weighs 60-100 kg.

- 5 13. A process for preparing a composition for the prophylaxis and treatment of AIDS and AIDS related complex including:

(a) pulverising into powder the following amounts of dried plant material consisting essentially of:

10	Name of herb	Classification	Weight(mg) range
	Stephania venosa Spreng	(MENISPERMACEAE)	40-60
	Stephania suberosa Forman	(MENISPERMACEAE)	40-60
	Stephania glabra Roxb. Miers.	(MENISPERMACEAE)	40-60
15	Hedychium coronarium Roem	(ZINGIBERACEAE)	40-60
	Zingiber officinalis Roscoe	(ZINGIBERACEAE)	30-50
	Curcuma Amada	(ZINGIBERACEAE)	30-50

(b) preparing a pharmaceutical formulation comprising the powder of step (a).

# INTERNATIONAL SEARCH REPORT

International Application No.  
PCT/AU 98/00236

## A. CLASSIFICATION OF SUBJECT MATTER

Int Cl<sup>6</sup>: A61K 35/78

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
A61K 35/78

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched  
AU: IPC as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  
WPAT } Stephania, Hcdychium, Zingiber, Curcuma, HIV, AIDS  
CAS }  
MEDLINE }

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	Patent Abstracts of Japan, JP 09087193 A (TERUMO CORP) 31 March 1997 Whole document	1-3, 7-9, 11, 12
X	EP 476391 A (KAKEN SHOYAKU CO., LTD) 25 March 1992 Whole document	1-3, 7-9, 11, 12
X	US 5683698 A (CHAVALI et al.) 4 November 1997 Whole document	3, 7-9
X	Indian Drugs (1987), 24(12), pages 537-41, Mahatma O.P., et al., "Further Studies on Some Pharmacological Actions of Gindarinine Hydrochloride - An Alkaloid Of Stephania Glabra (Roxb) Miers". Whole document	3

☒ Further documents are listed in the  
continuation of Box C

☒ See patent family annex

* Special categories of cited documents:	
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier document but published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search  
4 May 1998

Date of mailing of the international search report  
14 MAY 1998

Name and mailing address of the ISA/AU  
AUSTRALIAN PATENT OFFICE  
PO BOX 200  
WODEN ACT 2606  
AUSTRALIA  
Facsimile No.: (02) 6285 3929

Authorized officer

G.R.PETERS

Telephone No.: (02) 6283 2184

# INTERNATIONAL SEARCH REPORT

International Application No.

PCT/AU 98/00236

C (Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	Journal of Ethnopharmacology, (1989) 27(1-2) pages 129-40. Mascolo, N et al. "Ethnopharmacologic Investigation of Ginger (Zingiber Officinale)" Whole document	3
X	Journal of Ethnopharmacology, (1995) 48(10) pages 13-19, Chang C.P, et al; "The Effect of Chinese Medicinal Herb Zingiberis Rhizoma extract on Cytokine Secretion By Human Peripheral Blood Mononuclear Cells" Whole document	3
X	Journal of Ethnopharmacology, (1986) 15(3) pages 261-9, Ribeiro R de A, et al, "Acute Antihypertensive Effect in Conscious Rats Produced By Some Medicinal Plants Used In The State Of Sao Paulo". Whole document	3
X	Indian Journal of Medical Research (1972 Mar) 60(3) pages 472-80 Khanna N.K. et al.; "Some Pharmacological Actions of Stephania Glabra (Roxb) Miers: An Indian Indigenous Herb" Whole document	3
X	Southeast Asian Journal Of Tropical Medicine And Public Health, (1983 Jun) 14(2) pages 176-80 Cherdchu C, et al; "Proteolytic-Independent Cobra Neurotoxin Inhibiting Activity of Curcuma SP. (Zingiberaceae)". Whole document	3

### Information on patent family members

**PCT/AU 98/00236**

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

END OF ANNEX

